

L Number	Hits	Search Text	DB	Time stamp
2	185	((automatic\$7 with (generat\$3 or count\$3 or determin\$3 or identif\$7) with time\$3 with (refer\$9 or searched or retrieved or outputted or displayed or accessed)) and (search\$3 or retriev\$3 or quer\$5 or web or internet\$3 or network\$3).ab. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 20:17
4	5976	((generat\$3 or count\$3 or determin\$3 or identif\$7) with time\$3 with (refer\$9 or searched or retrieved or outputted or displayed or accessed)) and (search\$3 or retriev\$3 or quer\$5 or web or internet\$3 or network\$3).ab. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 19:52
6	40	((generat\$3 or count\$3 or determin\$3 or identif\$7) with time\$3 with (refer\$9 or searched or retrieved or outputted or displayed or accessed)) and (search\$3 or retriev\$3 or quer\$5 or web or internet\$3 or network\$3).ab. and (spider or crawler) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 19:59
10	50	((generat\$3 or count\$3 or determin\$3 or identif\$7) with time\$3 with (topic\$3 or categor\$5) with (refer\$9 or searched or retrieved or outputted or displayed or accessed)) and (search\$3 or retriev\$3 or quer\$5 or web or internet\$3 or network\$3).ab. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/11/12 20:19
-	3	((electro\$5 near3 manu\$3) with (search\$3 or quer\$5)).ab.	USPAT; US-PGPUB; IBM_TDB	2002/12/31 13:58
-	4781	((reference with (table or database or file)) same (search\$3 or quer\$5))	USPAT; US-PGPUB; IBM_TDB	2003/01/02 14:58
-	138	((reference with (table or database or file)) same (search\$3 or quer\$5)).ab.	USPAT; US-PGPUB; IBM_TDB	2002/12/31 14:56
-	3379	((reference with (table or database or file)) same (search\$3 or quer\$5)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2002/12/31 14:08
-	66	((reference with (table or database or file)) same (search\$3 or quer\$5)) and (@ad<20000202)) and ((increment\$3 or increas\$3) with reference with number)	USPAT; US-PGPUB; IBM_TDB	2002/12/31 14:09
-	4669	((reference with (table or database or file)) same ((reference or number) with (indicat\$3 or express\$3 or show\$3 or calculat\$3 or associat\$3) with (number\$2 or time\$2) with (referenc\$3 or refer\$4 or hit\$4 or search\$3 or quer\$4 or return\$3 or show\$3))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2002/12/31 14:48
-	100	((reference with (table or database or file)) same ((reference or number) with (indicat\$3 or express\$3 or show\$3 or calculat\$3 or associat\$3) with (number\$2 or time\$2) with (referenced or referred or hit\$4 or searched or quer\$4 or returned or showed))) and (@ad<20000202)) and ((reference with (table or database or file)) same (search\$3 or quer\$5))	USPAT; US-PGPUB; IBM_TDB	2002/12/31 14:53
-	290	((reference with (table or database or file)) same ((reference or number) with (indicat\$3 or express\$3 or show\$3 or calculat\$3 or associat\$3) with (number\$2 or time\$2) with (referenced or referred or hit\$4 or searched or quer\$4 or returned or showed))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2002/12/31 15:05

-	42	((reference with (table or database or file)) same ((reference near3 number) with (indicat\$3 or express\$3 or show\$3 or calculat\$3 or associat\$3) with (number\$2 or time\$2) with (referenced or referred or hit\$4 or searched or quer\$4 or returned or showed))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/02 13:25
-	1	(data adj page adj2 referenced) with (reference adj count) with increment\$3	USPAT; US-PGPUB; IBM_TDB	2003/01/02 13:27
-	52	((help adj function) or (electronic\$3 adj dictionary)) with (search\$3 or quer\$4)) and (@ad<=20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/23 18:38
-	10	(reference near3 (table or database or file)) with (topic\$2 or categor\$3) with (manu\$3 or help or dictionary\$3)	USPAT; US-PGPUB; IBM_TDB	2003/01/02 15:17
-	1084	(display\$3 or output\$3 or return\$3) with (based or accord\$3) with (number\$2 or time\$2) with (referenced or returned or searched or hit\$3 or referred or queried)	USPAT; US-PGPUB; IBM_TDB	2003/01/02 15:23
-	78	((display\$3 or output\$3 or return\$3) with (based or accord\$3) with (number\$2 or time\$2) with (referenced or returned or searched or hit\$3 or referred or queried)) and 707/\$.ccls. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/03 12:05
-	10	((sort\$3 or arrang\$3) with (based or accord\$3) with (number\$2 or time\$2 or decreas\$3 or increas\$3) with (referenced or returned or searched or hit\$3 or referred or queried)) and 707/\$.ccls. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/03 12:45
-	429	(reference with number with (menu\$3 or help or dictionary)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/03 13:24
-	75	(reference with number with (table or database or file) with (menu\$3 or help or dictionary)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/03 13:25
-	22	((reference with number with (table or database or file) with (menu\$3 or help or dictionary)) and (@ad<20000202)) and (reference with number with (number\$3 or time\$3 or frequenc\$3) with (referenced or selected or returned or hitted or searched or queried))	USPAT; US-PGPUB; IBM_TDB	2003/01/03 13:48
-	15	(US-6081774-\$ or US-5519857-\$ or US-5517334-\$ or US-6266060-\$ or US-6366296-\$ or US-6026398-\$ or US-6014663-\$ or US-5754840-\$ or US-6282613-\$ or US-6269171-\$ or US-5805710-\$ or US-5754671-\$ or US-5619690-\$ or US-5481667-\$ or US-5420975-\$).did.	USPAT	2003/01/05 10:18
-	3	((US-6081774-\$ or US-5519857-\$ or US-5517334-\$ or US-6266060-\$ or US-6366296-\$ or US-6026398-\$ or US-6014663-\$ or US-5754840-\$ or US-6282613-\$ or US-6269171-\$ or US-5805710-\$ or US-5754671-\$ or US-5619690-\$ or US-5481667-\$ or US-5420975-\$).did.) and (reference with number with (table or database or file) with (manual or menu\$2 or dictionary\$3 or help))	USPAT; US-PGPUB; IBM_TDB	2003/01/05 10:28
-	131	(referenc\$3 with number with (table or database or file) with (manual or menu\$2 or dictionary\$3 or help))	USPAT; US-PGPUB; IBM_TDB	2003/01/05 10:29
-	112	((referenc\$3 with number with (table or database or file) with (manual or menu\$2 or dictionary\$3 or help))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 11:51

-	1178	((referenc\$3 with (table or database or file) with (manual or menu\$2 or dictionary\$3 or help))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 11:52
-	511	((referenc\$3 near3 (table or database or file)) with (referenc\$3 or associat\$3 or link\$3) with (manual or menu\$2 or dictionary\$3 or help)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 12:07
-	128	((referenc\$3 near3 (table or database or file)) with (referenc\$3 or associat\$3 or link\$3) with (manual or menu\$2 or dictionary\$3 or help)) and (@ad<20000202) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 11:57
-	135	((referenc\$3 adj (table or database or file)) with (referenc\$3 or associat\$3 or link\$3 or connect\$3 or refer\$5) with (manual or menu\$2 or dictionary\$3 or help)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 12:27
-	153	((referenc\$3 adj (table or database or file or list)) with (referenc\$3 or associat\$3 or link\$3 or connect\$3 or refer\$5) with (manual or menu\$2 or dictionary\$3 or help)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 14:26
-	36	((search\$3 or quer\$5) with (sort\$3 with (number\$2 or time\$2) with (hit\$4 or referred or referenced or returned or displayed))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 14:36
-	152	((search\$3 or quer\$5) with based with (number\$2 or time\$2 or frequenc\$5) with (hit\$4 or referred or referenced or returned or displayed)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 16:14
-	103	((search\$3 or quer\$5) with based with (number\$2 or time\$2 or frequenc\$5) with (hit\$4 or referred or referenced or returned)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 15:11
-	43	(search or searching) with most with (searched or hitted or returned or referred or referenced) with first	USPAT; US-PGPUB; IBM_TDB	2003/01/05 15:28
-	0	sort\$3 with (database or table or file) with desired	USPAT; US-PGPUB; IBM_TDB	2003/01/05 15:29
-	18	sort\$3 with (database or table or file) with desir\$3	USPAT; US-PGPUB; IBM_TDB	2003/01/05 15:30
-	1292	(decreas\$3 or descend\$3) with (number\$2 or time\$2 or order or frequenc\$3) with search\$3	USPAT; US-PGPUB; IBM_TDB	2003/01/05 16:39
-	185	((decreas\$3 or descend\$3) with (number\$2 or time\$2 or order or frequenc\$3) with search\$3) and 707/\$.ccls. and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 16:33
-	3	((decreas\$3 or descend\$3) with (reference adj number)) same (search\$3 or quer\$4)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:31
-	160	(decreas\$3 or descend\$3) with (reference adj number)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:30
-	137	((decreas\$3 or descend\$3) with (reference adj number)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:31
-	7	((decreas\$3 or descend\$3) with (reference adj number)) and (@ad<20000202) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:35
-	168	(search or searching or quer\$4) with (high or most or popular\$3 or frequen\$5) with (hit\$4 or searched or returned or referred or referenced) with first	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:43
-	139	((search or searching or quer\$4) with (high or most or popular\$3 or frequen\$5) with (hit\$4 or searched or returned or referred or referenced) with first) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:38

-	1088	((search or searching or quer\$4) with (high or most or popular\$3 or frequen\$5) with (hit\$4 or searched or returned or referred or referenced)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:47
-	52	((sort\$3 or rank\$3 or arrang\$3 or order\$3) with (reference adj number)) and (@ad<20000202) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 17:52
-	34	(search or searching) with most with searched with first	USPAT; US-PGPUB; IBM_TDB	2003/01/05 20:28
-	342	(increas\$3 or increment\$3) with (counter or number or frequen\$5) with stop\$4 with (display\$3 or search\$3 or return\$3)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 20:59
-	296	((increas\$3 or increment\$3) with (counter or number or frequen\$5) with stop\$4 with (display\$3 or search\$3 or return\$3)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 20:33
-	1016	((increas\$3 or increment\$3) with counter with (find\$3 or found)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 20:47
-	4	((increas\$3 or increment\$3) with (counter or number or frequen\$5) with stop\$4 with (display\$3 or search\$3 or return\$3)) and (@ad<20000202)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 20:48
-	54	((increas\$3 or increment\$3) with counter with (find\$3 or found)) and (@ad<20000202)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 20:48
-	153	((increas\$3 or increment\$3) with (counter or number or frequen\$5) with stop\$4 with display\$3) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 21:39
-	58	(help\$3 or manual or dictionary) with different with (level or categor\$3) with (user\$2 or searcher\$2 or client\$2)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 21:42
-	39	((help\$3 or manual or dictionary) with different with (level or categor\$3) with (user\$2 or searcher\$2 or client\$2)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 21:59
-	35	((sort\$3 or arrang\$3) with (database or file or table) with (number\$2 or time\$2 or frequen\$5) with (hit\$4 or searched or returned or referred or referenced)) and (@ad<20000202) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/05 22:21
-	47	(search or searching) with most with (searched or referred or referenced or returned or favor\$7) with first	USPAT; US-PGPUB; IBM_TDB	2003/01/05 22:48
-	11	(search\$3 with most with relevan\$5 with first) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 23:02
-	6529	((most or high or frequen\$5) with (searched or hit\$4 or referred or referenced or returned) with (relevan\$5 or first or priorit\$5)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/05 23:06
-	178	((most or high or frequen\$5) with (searched or hit\$4 or referred or referenced or returned) with (relevan\$5 or first or priorit\$5)) and (@ad<20000202)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/01/06 09:12
-	34	((search\$3 or quer\$4) with (sorted adj (database or file or table))) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/06 09:16
-	179	(sort\$3 with (database or table or file) with (number\$2 or time\$2 or frequen\$5) with (hit\$4 or refer\$4 or return\$3 or referenc\$3)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/06 09:22
-	120	((help adj (function or information)) or (electronic\$3 near3 (dictionary or manual or menu))) with (search\$3 or quer\$4)) and (@ad<20000202)	USPAT; US-PGPUB; IBM_TDB	2003/01/23 18:52

-	40	(((((help adj (function or information)) or (electronic\$3 near3 (dictionary or manual or menu))) with (search\$3 or quer\$4)) and (@ad<20000202)) and ((reference or hit or returned or searched or displayed or referred) near3 (number or count))	USPAT; US-PGPUB; IBM_TDB	2003/01/23 18:54
-	115	(((((help adj (function or information)) or (electronic\$5 near3 (dictionary or manual or menu))) with (electron\$7 or network or online or web or html)) same (search\$3 or query\$3) and (@ad<20000202))	USPAT; US-PGPUB; IBM_TDB	2003/01/23 18:57
-	30	(((((help adj (function or information)) or (electronic\$5 near3 (dictionary or manual or menu))) with (electron\$7 or network or online or web or html)) same (search\$3 or query\$3) and (@ad<20000202)) and ((reference or hit or returned or searched or displayed or referred) near3 (number or count))	USPAT; US-PGPUB; IBM_TDB	2003/01/24 11:48
-	4	(((((help near2 (function or information or table or file)) or (electronic\$5 near3 (dictionary or manual or menu))) same (electron\$7 or network or online or web or html)) same (search\$3 or query\$3) same ((reference or hit or returned or searched or displayed or referred) near3 (number or count)) and (@ad<20000202))	USPAT; US-PGPUB; IBM_TDB	2003/01/24 12:07